



**CENTRE OF TESTING SERVICE
INTERNATIONAL**

OPERATE ACCORDING TO ISO/IEC 17025

RADIO TEST REPORT

TEST REPORT NUMBER : CGZ3160202-00112-E



CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China



TEST REPORT For TELEC-T401

Report Reference No. CGZ3160202-00112-E

Date of issue 18 February 2016

Testing Laboratory Name **CENTRE OF TESTING SERVICE CO., LTD.**

Address A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Testing location/ procedure Full application of Harmonised standards ☒

Partial application of Harmonised standards ☐

Other standard testing method ☐

Applicant's name Rigado, LLC

Address 3950 Fariview Industrial Dr SE, Suite 100, Salem, OR USA, 97302

Test specification

Standard **TELEC-T401 (2012-08): - Item 19 of Article 2**

Test Report Form No. CTSEMC-1.0

TRF Originator CENTRE OF TESTING SERVICE CO., LTD.

Master TRF Dated 2009-01

CENTRE OF TESTING SERVICE CO., LTD. All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the CENTRE OF TESTING SERVICE CO., LTD. is acknowledged as copyright owner and source of the material. CENTRE OF TESTING SERVICE CO., LTD takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

Test item description : BMD-300

Trade Mark Rigado

Manufacturer Rigado, LLC

Model/Type reference BMD-300

Ratings DC 1.7~3.6V

Operating Frequency 2402.0 MHz ~2480.0 MHz

Result **Positive**

Compiled by:

Kate zhang / Fileadministrators

Supervised by:

Duke yang / Technique principal

Approved by:

Vincent yao / Manager



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

RADIO TEST REPORT

Test Report No. : CGZ3160202-00112-E	<u>18 February 2016</u> Date of issue
---	--

Type / Model.....	BMD-300
EUT.....	BMD-300
Applicant.....	Rigado, LLC
Address.....	3950 Fariview Industrial Dr SE, Suite 100, Salem, OR USA, 97302
Telephone.....	+1-971-208-9857
Fax.....	+1-971-208-9869
Contact.....	Cam Nichols
Manufacturer.....	Rigado, LLC
Address.....	3950 Fariview Industrial Dr SE, Suite 100, Salem, OR USA, 97302
Telephone.....	+1-971-208-9857
Fax.....	+1-971-208-9869
Contact.....	Cam Nichols
Factory.....	Rigado, LLC
Address.....	3950 Fariview Industrial Dr SE, Suite 100, Salem, OR USA, 97302
Telephone.....	+1-971-208-9857
Fax.....	+1-971-208-9869
Contact.....	Cam Nichols

Test Result according to the standards on page 1: **PASSED**

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

TABLE OF CONTENTS

Description	Page
1.0 TEST STANDARDS	4
2.0 SUMMARY	4
2.1 GENERAL REMARKS	4
2.2 FINAL ASSESSMENT	4
3.0 EQUIPMENT UNDER TEST	4
3.1 POWER SUPPLY SYSTEM UTILISED.....	4
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT).....	4
3.3 EUT OPERATION MODE	4
3.4 EUT CONFIGURATION.....	5
4.0 TEST ENVIRONMENT	6
4.1 ADDRESS OF THE TEST LABORATORY.....	6
4.2 TEST FACILITY	6
4.3 ENVIRONMENTAL CONDITIONS	6
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	6
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY	6
4.6 MEASUREMENT UNCERTAINTY	7
5.0 SUMMARY OF STANDARDS AND RESULTS	7
5.1.DESCRPTION OF STANDARDS AND RESULTS	7
6.0 TRANSMITTER PARAMETERS	8
6.1 FREQUENCY ERROR.....	8
6.2 OCCUPIED BANDWIDTH	9
6.3 SPREAD BANDWIDTH	11
6.4 RF OUTPUT POWER TOLERANCE	13
6.5 SPURIOUS EMISSIONS	14
6.6 RECEIVER PARAMETERS	19
7.0 ANGULAR WIDTH OF PRINCIPAL RADIATION	21
8.0 TEST PHOTOGRAPHS	22
9.0 EXTERNAL AND INTERNAL PHOTOS OF THE EUT	23

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

1.0 TEST STANDARDS

The tests were performed according to following standards:

- **TELEC-T401 (2012-08): - Item 19 of Article 2**

2.0 SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	02 February 2016
Testing commenced on	02~18 February 2016
Testing concluded on	18 February 2016

2.2 FINAL ASSESSMENT

The TELEC requirements pertaining to the technical standards and tested operation modes are

- - fulfilled.

- ☐ - **not** fulfilled.

The equipment under test

- - fulfils the TELEC requirements cited on page 1.

- ☐ - **does not** fulfil the TELEC requirements cited on page 1.

3.0 EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ DC 3.3V

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions:

- ☐ TX- Y position at 1, 2 Mbps Rate
- ☐ TX- Z position at 1, 2 Mbps Rate
- ☐ TX- X position at 1, 2 Mbps Rate
- TX- X position 2 Mbps Rate (Worst case)

Operation mode 1:TX-X Position Low (2402MHz) , TX-X Position Middle (2440MHz) ,
TX-X Position High (2480MHz)

Note:Operation mode 1 TX -X position (2 Mbps Rate) of EUT is the radiated test worst case; so only these test results be recorded in the test report.

3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description	:	BMD-300
Model Number	:	BMD-300
Operation frequency	:	2402.0 MHz~ 2480.0 MHz ISM Band
Channel Number	:	40
Modulation Technology	:	GFSK
Antenna	:	PCB Antenna with 0dBi
Hardware Version	:	A
Software Version	:	N/A
AC/DC Power Supply Power ratings		I/P:100-240 VAC, 2A, 50/60Hz O/P:0~30V DC, 5A
Test Voltage (Power supply by DC Source)		Normal Voltage : DC 3.3V Extreme Voltage(+10%) : DC 3.63 V Extreme Voltage(-10%) : DC 2.97 V
Module Brand	:	Rigado
Type and Version	:	2.4GHz GFSK Transmitter Japan Version

3.4.2. Carrier Frequency of Channels

Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)
*00	2402	14	2430	28	2458
01	2404	15	2432	29	2460
02	2406	16	2434	30	2462
03	2408	17	2436	31	2464
04	2410	18	2438	32	2466
05	2412	*19	2440	33	2468
06	2414	20	2442	34	2470
07	2416	21	2444	35	2472
08	2418	22	2446	36	2474
09	2420	23	2448	37	2476
10	2422	24	2450	38	2478
11	2424	25	2452	*39	2480
12	2426	26	2454	--	--
13	2428	27	2456	--	--

Note: Channels remarked * are selected to perform test.

4.0 TEST ENVIRONMENT

4.1 Address of the test laboratory

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374A

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374A on May 22, 2014.

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No. 971995, July 13, 2012.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- - The black square indicates that the listed condition, standard or equipment is applicable for this report.
- - The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

4.6 Measurement Uncertainty

Measurement Item	Uncertainty
Frequency Error	$\pm 0.13\text{ppm}$
Occupied Bandwidth	$\pm 0.03\text{MHz}$
Spread Bandwidth	$\pm 0.03\text{MHz}$
Output Power Tolerance	$\pm 0.015\text{mW}$
TX Spurious Emissions	$\pm 0.017\text{mW}$
RX Spurious Emissions	$\pm 0.017\text{mW}$
Carrier Sensing Function	$\pm 0.05\text{mV}$

(1). This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.

5.0 Summary of standards and results

5.1. Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION		
Description of Test Item	Standard	Results
. Frequency Error	TELEC-T401 (2012-08): - Item 19 of Article 2 Japanese radio regulations 2008: - Chapter I, II, IV (general provisions) - Article 9.4(9) - Article 49.20(1)	PASSED
. Occupied Bandwidth		PASSED
. Spread Bandwidth		PASSED
. RF Output Power Tolerance		PASSED
. Spurious Emissions(TX)		PASSED
. Spurious Emissions(RX)		PASSED
. Angular Width of Principal Radiation		PASSED
. Construction Protection Confirmation		PASSED
N/A is an abbreviation for Not Applicable.		

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.0 Transmitter Parameters

6.1 Frequency Error


6.1.1 Test Limit

Limits: $\pm 50 \times 10^{-6}$, 50ppm

6.1.2 Test Procedures

According to TELECOM-T401, Test item frequency error measuring procedures.

6.1.3 Test Setup



6.1.4 Test Result and Data

Test date: 15 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa

Relative humidity: 56%

Test Conditions	Operation Frequency (MHz) / Frequency Error (ppm)					
	2402 MHz		2440 MHz		2480 MHz	
Vnom	2402.0111	4.621	2440.0117	4.795	2480.0105	4.234
Vmax	2402.0115	4.788	2440.0120	4.918	2480.0117	4.718
Vmin	2402.0119	4.954	2440.0121	4.959	2480.0118	4.758

6.1.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Spectrum	ESCI	R&S	100868	2015/10

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.2 Occupied Bandwidth


6.2.1 Test Limit

Modulation type	Occupied Band Width
FH、FH+DS、FH+OFDM	< 83.5 MHz
DS	< 26 MHz
Other	< 26 MHz

6.2.2 Test Procedures

According to TELECOM-T401, test item occupied bandwidth and spreading bandwidth, measuring procedures.

6.2.3 Test Setup



6.2.4 Test Result and Data

Test date: 17 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa


Relative humidity: 56%

Test Conditions Modulation Type		Operation Frequency (MHz) / Occupied Bandwidth (MHz)		
		2402MHz	2440MHz	2480MHz
GFSK	Vnom	1.380	1.380	1.420
	Vmax	1.380	1.380	1.420
	Vmin	1.380	1.380	1.420


6.2.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Spectrum	ESCI	R&S	100868	2015/10


Notice: After confirmation, there is a least one carrier (channel) with BW of 1 MHz or more.

Modulation Type: GFSK
CH00

Date: 17.FEB.2016 13:27:12

CH19

Date: 17.FEB.2016 13:28:51

CH39

Date: 17.FEB.2016 13:30:46

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.3 Spread Bandwidth


6.3.1 Test Limit

Modulation type	Occupied Band Width
FH、FH+DS、FH+OFDM	> 500 KHz
DS	> 500 KHz
Other	----

6.3.2 Test Procedures

According TELEC-T401, test item occupied bandwidth and spreading bandwidth, measuring procedures.

6.3.3 Test Setup



6.3.4 Test Result and Data

Test date: 17 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa

Relative humidity: 56%

Test Conditions Modulation Type		Operation Frequency (MHz) / Spread Bandwidth (MHz)		
		2402MHz	2440MHz	2480MHz
GFSK	Vnom	0.920	0.920	0.920
	Vmax	0.920	0.920	0.920
	Vmin	0.920	0.920	0.920

6.3.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Spectrum	ESCI	R&S	100868	2015/10

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)


Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Modulation Type: GFSK
CH00




Date: 17.FEB.2016 13:36:45

CH19



Date: 17.FEB.2016 13:35:11

CH39



Date: 17.FEB.2016 13:33:25

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.4 RF Output Power Tolerance


6.4.1 Test Limit

1. tolerance: +20 % ~ - 80%
2. output power:
 - (1) FH、FH+DS、FH+OFDM < 3mW/MHz
 - (2) OFDM、DS < 10mW/MHz
 - (3) Other < 10mW

6.4.2 Test Procedure

According to TELEC-T401, test item antenna power error measuring procedure.

6.4.3 Test Setup



6.4.4 Test Result and Data

Test date: 17 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa

Relative humidity: 56%

Test Conditions Modulation Type		Operation Frequency (MHz) / Spread Bandwidth (MHz)					
		2402MHz		2440MHz		2480MHz	
		mW	%	mW	%	mW	%
GFSK	Vnom	0.3517	0.00	0.2973	-15.46	0.2601	-26.03
	Vmax	0.3437	-2.27	0.2953	-16.05	0.2566	-27.05
	Vmin	0.3282	-6.68	0.2926	-16.82	0.2531	-28.05

6.4.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Power Meter	NRVS	R&S	842856/049	2015/10

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.5 Spurious Emissions

6.5.1 Test Limit


Limits:

	Frequency Band (For 2400 ~ 2483.5 MHz)	Limit
*1	<2387MHz	2.5 μ W
*2	2387MHz ~ 2400MHz	25 μ W
*3	2483.5MHz ~ 2496.5MHz	25 μ W
*4	>2496.5MHz	2.5 μ W


6.5.2 Test Procedure

According to TELEC-T401 Spurious and unwanted emission intensity measuring procedure.

6.5.3 Test Setup



Connection diagram in case of 2 or more antenna terminals, is as following



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.5.4 Test Result and Data

Test date: 17 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa

Relative humidity: 56%

Modulation type: GFSK						
Test Conditions	Operation Frequency (MHz) / Spurious Emission					
	2402MHz		2440MHz		2480MHz	
	MHz	μW	MHz	μW	MHz	μW
Frequency Band: < 2387MHz						
Vnom	2314.73	0.0060	2275.82	0.0058	2353.65	0.0079
Vmax	2314.73	0.0056	2275.82	0.0056	2353.65	0.0073
Vmin	2314.73	0.0059	2275.82	0.0056	2353.65	0.0074
Frequency Band: 2387 ~ 2400MHz						
Vnom	2399.61	0.0059	2399.13	0.0084	2399.13	0.0058
Vmax	2399.61	0.0055	2399.13	0.0081	2399.13	0.0055
Vmin	2399.61	0.0055	2399.13	0.0079	2399.13	0.0055
Frequency Band: 2483.5 ~ 2496.5MHz						
Vnom	2483.64	0.0056	2483.36	0.0100	2486.40	0.0042
Vmax	2483.64	0.0053	2483.36	0.0097	2486.40	0.0040
Vmin	2483.64	0.0055	2483.36	0.0095	2486.40	0.0036
Frequency Band: >2496.5MHz						
Vnom	4804.61	0.152	4884.77	0.1274	4964.93	0.1096
Vmax	4804.61	0.150	4884.77	0.1270	4964.93	0.1090
Vmin	4804.61	0.151	4884.77	0.1268	4964.93	0.1093

6.5.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Signal analyzer	FSIQ26	R&S	100311	2015/03

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)



Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Modulation type: GFSK, CH00
Frequency Band: < 2387MHz




Frequency Band: 2387 ~ 2400MHz



Frequency Band: 2483.5~2496.5MHz



Frequency Band: >2496.5MHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)



Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Modulation type: GFSK, CH19
Frequency Band: < 2387MHz




Frequency Band: 2387 ~ 2400MHz



Frequency Band: 2483.5~2496.5MHz



Frequency Band: >2496.5MHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)



Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Modulation type: GFSK, CH39
Frequency Band: < 2387MHz




Frequency Band: 2387 ~ 2400MHz



Frequency Band: 2483.5~2496.5MHz



Frequency Band: >2496.5MHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

6.6 Receiver Parameters

6.6.1 Spurious Emissions


6.6.1.1 Test Limit

Limits:	
Modulation type	Limit
<1GHz	4nW
1GHz ~ 10GHz	20nW

6.6.1.2 Test Procedure

According to TELECOM-T401 Spurious and unwanted emission intensity measuring procedure.

6.6.1.3 Test Setup



6.6.1.4 Test Result and Data

Test date: 17 February 2016

Ambient temperature: 23°C

Atmospheric pressure: 1020 hpa

Relative humidity: 56%

Modulation type: GFSK						
Test Conditions	Operation Frequency (MHz) / Spurious Emission					
	CH00 2402MHz		CH19 2440MHz		CH39 2480MHz	
	MHz	μW	MHz	μW	MHz	μW
Frequency Band: < 1GHz						
Vnom	739.52	0.0002	358.52	0.0002	335.19	0.0002
Vmax	739.52	0.0002	358.52	0.0002	335.19	0.0002
Vmin	739.52	0.0002	358.52	0.0002	335.19	0.0002
Frequency Band: 1GHz – 12.5GHz						
Vnom	2774.55	0.0032	2820.64	0.0029	2820.64	0.0034
Vmax	2774.55	0.0030	2820.64	0.0027	2820.64	0.0030
Vmin	2774.55	0.0028	2820.64	0.0021	2820.64	0.0028

6.6.1.5 Test Equipment

Instrument	Model No.	Manufacturer	Serial No.	Calibration Date
Signal analyzer	FSIQ26	R&S	100311	2015/03

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)


Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


Modulation type: GFSK, CH00
Frequency Band: < 1GHz




Frequency Band: > 1GHz




Modulation type: GFSK, CH19
Frequency Band: < 1GHz




Frequency Band: > 1GHz



Modulation type: GFSK, CH39
Frequency Band: < 1GHz



Frequency Band: > 1GHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

7.0 Angular Width of Principal Radiation

7.1 Test Result

Antenna Type & Gain	Permanent PCB Antenna with 0dBi
Cable Loss (dB)	1
EIRP (dBm/MHz)	-4.54
Half Power Beam Angles (deg)	360
Limit of E.I.R.P (dBm/MHz)	12.14
Result	Pass

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

8.0 TEST PHOTOGRAPHS



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)


Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service


9.0 External and Internal Photos of the EUT



External view 1



External view 2



Label

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China




Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

**Internal view****PCB side 1 view****PCB side 2 view**

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China


Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service



Oscillator view

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

A101, No.65, Zhuji Highway, Tianhe District, Guangzhou, China

Tel: +86-20-85543113 (32 lines)

Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service